

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

ON 2
EINZ AVE., SUITE 200
OAKLEY, CA 94710-2737

July 29, 1993



Mr. Gary Munekawa
Code 1811
Naval Facilities Engineering Command
Western Division
900 Commodore Drive
San Bruno, California 94066-2402

Dear Mr. Munekawa:

**RESPONSES TO COMMENTS ON DRAFT FINAL PHASES 1 AND 2A DATA SUMMARY
REPORT FOR THE REMEDIAL INVESTIGATION/FEASIBILITY STUDY (RI/FS),
NAVAL AIR STATION, ALAMEDA**

The Department of Toxic Substances Control (DTSC) has reviewed the response to comments on the draft Final Phases 1 and 2A Data Summary Report. The Navy's response to the DTSC comments is adequate. The Navy may now incorporate these responses into the final Phases 1 and 2A Data Summary Report. The DTSC cannot approve the final Phases 1 and 2A Data Summary Report until after the report is submitted.

If you have any questions or require further assistance, please call me at (510) 540-3809.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Thomas P. Lanphar'.

Thomas P. Lanphar
Project Manager
Site Mitigation Branch

cc: Mr. James Nusrala
SF Bay Regional Water
Quality Control Board
2101 Webster street, Suite 500
Oakland, California 94612

Lt. Mike Petouhoff
Alameda Naval Air Station
Building 114, Code 52
Alameda, California 94612